

II. Amendments to the Claims

Kindly cancel non-elected Claims 13-28, without prejudice or disclaimer of the subject matter recited therein.

1. (original) A flexible isocyanate-based polymeric foam which has:

- (i) low resiliency;
- (ii) a Tg less than or equal to about 0°C; and
- (iii) a change in $\tan \delta$ less than or equal to about 35% from a median value measured over a temperature range of from about -20° to about +60°C.

2. (original) The isocyanate-based foam defined in claim 1, wherein the Tg is less than about -10°C.

3. (original) The isocyanate-based foam defined in claim 1, wherein the Tg is in the range of from about -15° to about -40°C.

4. (original) The isocyanate-based foam defined in claim 1, wherein T_g is in the range of from about -15° to about -37°C .

5. (original) The isocyanate-based foam defined in claim 1, wherein the T_g is in the range of from about -20° to about -30°C .

AI 6. (original) The isocyanate-based foam defined in claim 1, wherein the change in $\tan \delta$ is less than or equal to about 20% from a median value.

7. (original) The isocyanate-based foam defined in claim 1, wherein the change in $\tan \delta$ is in the range of from about 10% to about 15% from a median value.

8. (original) The isocyanate-based foam defined in claim 1, wherein the change in $\tan \delta$ from the median value is measured over a temperature range of from about -20° to $+80^\circ\text{C}$.

9. (original) The isocyanate-based foam defined in claim 1, wherein the change in $\tan \delta$ from the median value is measured over a temperature range of from about -30° to $+100^{\circ}\text{C}$.

10. (original) The isocyanate-based foam defined in claim 1, wherein the foam is derived from a reaction mixture comprising:

urethane-forming chemicals;

water; and

a plasticizer selected from the group comprising:

A1
a halogenated paraffin, a $(\text{C}_2 / \text{C}_4)$ aliphatic polymer comprising a primary hydroxyl group, and mixtures thereof.

11. (original) A flexible, low resiliency foam derived from a reaction mixture comprising:

urethane-forming chemicals;

water; and

a plasticizer selected from the group comprising:

a halogenated paraffin, a $(\text{C}_2 / \text{C}_4)$ aliphatic polymer comprising a primary hydroxyl group, and mixtures thereof.

12. (original) A vehicular interior trim panel
comprising the polyurethane foam defined in claim 1.

Claims 13-28 (Cancelled).
